

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Trade name: | LUCKY TOP - CEDAR WOOD |
|-------------|------------------------|
| UFI: | 43WE-80AM-Q00Y-53KC |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses: | air freshener. |
|---------------------------|-----------------|
| Uses advised against: | not determined. |

1.3. Details of the supplier of the safety data sheet

| Manufacturer: | Dr. MARCUS International Sp. z o.o. Sp. k. |
|----------------|--|
| Address: | Aleja Wojska Polskiego 2C, 62-800 Kalisz, PL |
| Telephone/fax: | + 48 62 760 07 00 / +48 62 760 07 59 |

E-mail address for a competent person responsible for SDS: drmarcus@dr-marcus.com

1.4. Emergency telephone number

112 (general emergency telephone number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 3 H412 Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictograms and signal words



Hazardous components placed on the label

Contains: 4-tert-butylcyclohexyl acetate; linalool; linalyl acetate; d-limonene; 2,2,6-trimethyl-αpropylcyclohexanepropanol; (-)-pin-2(10)-ene.

Hazard statements

| H315 | Causes skin irritation. |
|------|--|
| H317 | May cause an allergic skin reaction. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| P101 | If medical advice is needed, have product container or label at hand. |
|-----------|--|
| P102 | Keep out of reach of children. |
| P273 | Avoid release to the environment. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P501 | Dispose of contents/container to properly labelled waste containers according to national law. |

Additional information

None.

2.3. Other hazards

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

| CAS number: 319002-92-1 EC number: 437-530-0 Index number: — Registration number: 01-0000018277-65-XXXX | propyl (2S)-2-[(2-methylbutan-2-yl)oxy]propanoate Aquatic Chronic 3 H412 | C < 7,5 % |
|--|--|------------|
| CAS number: 18479-58-8 EC number: 242-362-4 Index number: — Registration number: 01-2119457274-37-XXXX | 2,6-dimethyloct-7-en-2-ol Skin Irrit. 2 H315, Eye Irrit. 2 H319 | C < 7,5 % |
| CAS number: 32210-23-4 EC number: 250-954-9 Index number: — Registration number: 01-2119976286-24-XXXX | 4-tert-butylcyclohexyl acetate Skin Sens. 1B H317 | C < 4 % |
| CAS number: 20298-69-5 EC number: 243-718-1 Index number: — Registration number: 01-2119970713-33-XXXX | cis-2-tert-butylcyclohexyl acetate Aquatic Chronic 2 H411 | C < 2,5 % |
| CAS number: 64742-47-8 EC number: 265-149-8 Index number: 649-422-00-2 Registration number: — | distillates (petroleum), hydrotreated light Asp. Tox. 1 H304, Skin Irrit. 2 H315, STOT SE 3 H336, Aquatic Chronic 2 H411 | C < 2 % |
| CAS number: 78-70-6 EC number: 201-134-4 Index number: 603-235-00-2 Registration number: 01-2119474016-42-XXXX | linalool Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319 | C < 1,15 % |
| CAS number: 115-95-7 EC number: 204-116-4 Index number: — Registration number: 01-2119454789-19-XXXX | linalyl acetate Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319 | C < 1 % |
| CAS number: 34902-57-3 EC number: — Index number: — Registration number: 01-0000016883-62-XXXX | oxacyclohexadecen-2-one Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1) | C < 1 % |



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

| CAS number: 5989-27-5 EC number: 227-813-5 Index number: 601-096-00-2 Registration number: 01-2119529223-47-XXXX | d-limonene Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 3 H412 | C < 0,3 % |
|--|--|------------|
| CAS number: 70788-30-6 EC number: 274-892-7 Index number: — Registration number: 01-2120085416-52-XXXX | 2,2,6-trimethyl-α-propylcyclohexanepropanol Skin Sens. 1B H317 | C < 0,25 % |
| CAS number: 18172-67-3 EC number: 242-060-2 Index number: — Registration number: — | (-)-pin-2(10)-ene Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1) | C < 0,15 % |

Full text of each H phrase is given in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with skin

Take off contaminated clothing. Wash the exposed parts of the skin thoroughly with water and soap. Consult a doctor if disturbing symptoms appear.

Contact with eyes

Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes thoroughly with water for 10 - 15 minutes. Avoid powerful water stream – risk of cornea damage. Consult a ophthalmologist if disturbing symptoms appear.

Ingestion

Due to organoleptic properties, exposure by this route is unlikely. However in case of ingestion rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a doctor if disturbing symptoms occur.

After inhalation

Remove the victim to fresh air, keep warm and at rest. Consult a doctor if disturbing symptoms appear.

4.2. Most important symptoms and effects, both acute and delayed

Contact with skin

The product may cause redness, burning sensation, irritation, allergic reaction.

Contact with eyes

The product may cause mechanical irritation.

Ingestion

Exposure by this route does not cause negative health effects.

After inhalation

Exposure by this route does not cause negative health effects.

Effects of exposure

Based on available data, the classification criteria are not met.

4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: adapt the extinguishing media to surrounding materials.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

Unsuitable extinguishing media: water jet - risk of the propagation of the flame.

5.2. Special hazards arising from the substance or mixture

During the fire may produce harmful gases containing e.g. carbon monoxides, other hazardous unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

5.3. Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool down the containers that are endangered by fire with a water spray from a safe distance. Collect used extinguishing media.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Use personal protective equipment.

6.2. Environmental precautions

Do not allow the product to get into the sewage system, surface waters and soil. In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3. Methods and material for containment and cleaning up

Collect the product mechanically and place it in labelled waste containers and transfer for disposal.

6.4. Reference to other sections

Appropriate conduct with waste product - see section 13. Personal protective equipment - see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Use personal protective equipment. Avoid eyes and skin contamination. Keep the unused containers tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Store in properly labeled, sealed packages in a dry, cool and well-ventilated place. Keep away from incompatible materials (see subsection 10.5). Keep away from, foodstuffs and animal feed . Recommended storage temperature: 5 - 30 °C.

7.3. Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limit Values

Legal Basis: Commission Directive 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU. The product does not contain components subject to exposure controls in the workplace.

Recommended control procedures

Not applicable.



| [Prepared in accordance with | Regulation | EC 1907/2006 | (REACH), as amended) | |
|-------------------------------------|-------------|--------------|--------------------------|--|
| [i i opai ou ili accol autico iliai | riegulation | 20 2007/2000 | (iter torif, as amonadaj | |

| DNEL and PNEC | | | | | |
|--------------------------|--------------------------|------------------------|------------------------|------------------------|--|
| 2,6-dimethyloct-7-en-2 | -ol [CAS 18479-58-8] | | | | |
| Firm a survey warned a | outo Exposuro schomo | | DNEL | | |
| Exposure route | Exposure scheme | ie | worker | consumer | |
| inhalation | long-term systemic | | 4,35 mg/m ³ | 24,7 mg/m ³ | |
| skin | long-term systemic | | 2,5 mg/kg bw/day | 7 mg/kg bw/day | |
| oral | long-term systemic | | _ | 2,5 mg/kg bw/day | |
| 2,6-dimethyloct-7-en-2 | -ol [CAS 18479-58-8] | | | | |
| PN | IEC | | Value | | |
| marine water | | | 2,78 µg/l | | |
| freshwater | | | 27,8 μg/l | | |
| soil | | | 0,103 mg/kg dry | weight | |
| freshwater sediment | | 0,594 mg/kg dry weight | | | |
| marine water sediment | | 0,059 mg/kg dry weight | | weight | |
| sewage treatment plant | | 10 mg/l | | | |
| secondary poisoning | | 111 mg/kg food | | | |
| freshwater (intermittent | release) | 0,278 mg/l | | | |
| 4-tert-butylcyclohexyl a | acetate [CAS 32210-23-4] | | | | |
| PN | IEC | | Value | | |
| marine water | | 0,53 µg/l | | | |
| freshwater | | 5,3 μg/l | | | |
| soil | | 0,42 mg/kg dry weight | | | |
| freshwater sediment | | 2,01 mg/kg dry weight | | | |
| marine water sediment | | 0,21 mg/kg dry weight | | | |
| sewage treatment plant | | 12,2 mg/l | | | |
| secondary poisoning | | 66,67 mg/kg food | | | |
| freshwater (intermittent | release) | | 53 µg/l | | |
| | | | | | |

8.2. Exposure controls

Industrial hygiene

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Ensure adequate general and/or local ventilation at the workplace.

Individual protection measures

The necessity to use and the selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

Hand protection

In case of a prolonged or repeated contact with the product, use protective gloves (EN 374) if a risk assessment indicates this is necessary. Select the material for the gloves individually at the workplace.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

The glove material has to be impermeable and resistant to the product. The choice of material for protective gloves should be made taking into account the breakthrough times, permeation rate and degradation. Moreover, the selection of the appropriate gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer. The exact breakthrough time has to be obtained from the glove manufacturer and it must be observed.

Body protection

Use skin protection measures adequate to the existing thermal, chemical or mechanical hazards.

Eye protection Not required. Respiratory protection Not required with adequate ventilation. <u>Thermal hazards</u> Not applicable. <u>Environmental exposure controls</u>

Avoid release to the environment, do not empty into sewers.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | solid |
|---|--|
| Colour: | brown |
| Odour: | characteristic, pleasant |
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling | |
| range: | not determined |
| Flammability: | not determined |
| Lower and upper explosion limit: | not applicable |
| Flash point: | not applicable |
| Auto-ignition temperature: | not applicable |
| Decomposition temperature: | not applicable |
| pH: | not determined |
| Kinematic viscosity: | not applicable |
| Solubility: | not soluble in water |
| Partition coefficient n-octanol/water (log value): | not applicable |
| Vapour pressure: | not applicable |
| Density and/or relative density: | not determined |
| Relative vapour density: | not applicable |
| Particle characteristics: | not determined |
| Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: | not soluble in water not applicable not applicable not determined not applicable |

9.2. Other information

No additional tests.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is not very reactive. It does not go under hazardous polimeryzation. See also subsection 10.3-10.5.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

3020 mg/kg

4600 mg/kg

> 5000 mg/kg

10.3. Possibility of hazardous reactions

Hazardous reactions are not known.

10.4. Conditions to avoid

Avoid sources of heat and direct sunlight.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

Not known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD50 (oral, rat)

cis-2-tert-butylcyclohexyl acetate [CAS 20298-69-5]

LD₅₀ (oral, rat)

LD50 (skin, rabbit)

Mixture

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Exposure route: eye exposure, skin exposure, inhalation. For more information on the impact of each possible route of exposure, see subsection 4.2.

Symptoms related to the physical, chemical and toxicological characteristics

See subsection 4.2 of the SDS.

Date of issue: 28.07.2022 Date of update: 28.07.2022 Version: 2.0/EN



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> See subsection 4.2 of the SDS.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Other information

No data on other hazards.

SECTION 12: Ecological information

12.1. Toxicity

| 2,6-dimethyloct-7-en-2-ol [CAS 18479-58-8] | | | | | |
|---|---|---------------------------|--|--|--|
| EC50 (invertebrates) 38 mg/l / 48 h / Daphnia magna method: OECD 202 / EU 0 | | | | | |
| EC₅o (algae) | 65 mg/l / 72 h / Desmodesmus subspicatus | method: OECD 201 / EU C.3 | | | |
| cis-2-tert-butylcyclohexyl acetate [CAS 20298-69-5] | | | | | |
| LC50 (fish) | 5,6 mg/l / 96 h / Danio rerio method: EU C.1 | | | | |
| EC₅₀ (invertebrates) | 17 mg/l / 48 h / Daphnia magna method: EU C.2 | | | | |
| EC50 (algae) 4,2 mg/l / 72 h / Desmodesmus subspicatus method: OECD 201 | | | | | |
| NOEC (microorganisms) 100 mg/l / 61 days / — method: OECD 301 F | | | | | |
| Mixture | | | | | |
| Harmful to aquatic life with long lasting effects. | | | | | |

12.2. Persistence and degradability

| 2,6-dimethyloct-7-en-2-ol CAS 18479-58-8 | Easily biodegradable | 72%/28 days | method: OECD 301 B |
|--|----------------------|-------------|--------------------|
| cis-2-tert-butylcyclohexyl acetate CAS 20298-69-5 | Biodegradable | 43%/28 days | method: OECD 301 F |

12.3. Bioaccumulative potential

| 2,6-dimethyloct-7-en-2-ol | log Po/w = 3,25 | method: OECD 117 / EU A.8 |
|------------------------------------|-----------------|---------------------------|
| CAS 18479-58-8 | BCF = — | method: — |
| cis-2-tert-butylcyclohexyl acetate | log Po/w = 4,7 | method: OECD 117 |
| CAS 20298-69-5 | BCF = 156 | method: OECD 305 |

12.4. Mobility in soil

The product is not mobile in soil. Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5. Results of PBT and vPvB assessment

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

12.7. Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recommendations for the product

The waste code should be given in the place of its formation. The waste product should be recovered or disposed of in authorized incineration plants or waste disposal / neutralization plants, in accordance with applicable regulations. Do not empty into drains.

Recommendations for used packaging

Reuse / recycle / eliminate empty containers in accordance with the local legislation. Only completely empty containers can be reused.

EU legal acts: directives of the European Parliament and of the Council: 2008/98 / EC as amended and 94/62 / EC as amended.

Recommended waste codes

The waste code should be assigned at the place of its formation.

SECTION 14: Transport information

14.1. UN number or ID number

Not applicable, the product is not dangerous during transport.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Additional data

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ADR Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

1907/2006/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (as amended).

1272/2008/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (as amended).

2020/878/EU COMMISSION REGULATION of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.. 2000/39/EC COMMISSION DIRECTIVE of 8 June 2000 establishing a first list of indicative occupational exposure limit values

in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

2006/15/EC COMMISSION DIRECTIVE of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

2009/161/EU COMMISSION DIRECTIVE of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

2017/164/EU COMMISSION DIRof 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

2019/1831/EU COMMISSION DIRECTIVE of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

2008/98/EC DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (as amended).

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended 2016/425/EU REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

The components of the mixture are not included in Annex XVII of the REACH Regulation.

The components of the mixture are not included in Annex XIV of the REACH Regulation.

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

SECTION 16: Other information

| Full text of H phrases | mentioned in section 3 |
|-------------------------|---|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Clarification of abbrev | iations and acronyms |
| ADR | Agreement concerning the International Carriage of Dangerous Goods by Road. |
| DNEL | Derived No-Effect Level. |
| EC50 | (median effective concentration) - statistically calculated concentration of a chemical substance in an environmental medium that can cause specific effects in 50% of the tested organisms of a given population under certain conditions. |
| EN | European standard |
| IATA | The International Air Transport Association. |



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

| IMDG | International Maritime Dangerous Goods Code. |
|-------------------|---|
| LC50 | Concentration of a substance that is lethal to 50 percent of the organisms in a toxicity test. |
| LD50 | Dose of a substance that is lethal to 50 percent of the organisms in a toxicity test. |
| NOEC | The highest concentration that does not cause a statistically significant adverse effect in the exposed population, when compared with its appropriate control. |
| OECD | Organisation for Economic Cooperation and Development |
| PBT | Persistent, bioaccumulative and toxic substance. |
| PNEC | Predicted no-effect concentration. |
| RID | The Regulation concerning the International Carriage of Dangerous Goods by Rail. |
| UFI | Unique Formula Identifier |
| vPvB | Very persistent and very bioaccumulative substance. |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute - category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic - category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic - category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic - category 3 |
| Asp. Tox. 1 | Aspiration hazard - category 1 |
| Eye Irrit. 2 | Eye irritation - category 2 |
| Flam. Liq. 3 | Flammable liquid - category 3 |
| STOT SE 3 | Specific target organ toxicity — single exposure - category 3 |
| Skin Irrit. 2 | Skin irritation - category 2 |
| Skin Sens. 1 | Skin sensitization - category 1 |
| Skin Sens. 1B | Skin sensitization - category 1B |

<u>Trainings</u>

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training. Personnel related with the transport of hazardous substances in accordance with the ADR agreement should be trained and should obtain proper certification in a range of their obligations (general training, workplace training, safety training).

Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

Procedures used for the mixture classification according with Regulation 1272/2008/EC as amended

| Skin Irrit. 2 H315 | calculation method |
|------------------------|-----------------------------|
| Skin Sens. 1 H317 | calculation method |
| Aquatic Chronic 3 H412 | calculation method |
| Additional information | |
| Changes: | section: 1-16 |
| SDS issued by: | THETA Consulting Sp. z o.o. |

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.