

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name:	FRESH BAG MAGIC PEARLS GOLD ORCHID
UFI:	8KVE-7067-W000-622Y

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	air freshener.
Uses advised against:	not determined.

1.3. Details of the supplier of the safety data sheet

Manufacturer:	Dr. MARCUS International Sp. z o.o. Sp. k.
Address:	Aleja Wojska Polskiego 2C, 62-800 Kalisz, PL
Telephone/fax:	+ 48 62 760 07 00 / +48 62 760 07 59

E-mail address for a competent person responsible for SDS: drmarcus@dr-marcus.com

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411 Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictograms and signal words



Hazardous components placed on the label

Contains:

Hazard statements

- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to properly labelled waste containers according to national law.

Additional information

None.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

2.3. Other hazards

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

CAS number: 54464-57-2 EC number: 259-174-3 Index number: — Registration number: 01-2119489989-04-XXXX	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 (M=1)	C ≤ 10 %
CAS number: 1222-05-5 EC number: 214-946-9 Index number: 603-212-00-7 Registration number: —	galaxolide Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C ≤ 7,5 %
CAS number: 118-58-1 EC number: 204-262-9 Index number: 607-754-00-5 Registration number: 01-2119969442-31-XXXX	benzyl salicylate Skin Sens. 1B H317, Aquatic Chronic 3 H412	C < 6,5 %
CAS number: 101-86-0 EC number: 202-983-3 Index number: — Registration number: 01-2119533092-50-XXXX	α-hexylcinnamaldehyde Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 2 H411	C < 6,5 %
CAS number: 78-70-6 EC number: 201-134-4 Index number: 603-235-00-2 Registration number: —	linalool Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319	C < 5,5 %
CAS number: 32210-23-4 EC number: 250-954-9 Index number: — Registration number: 01-2119976286-24-XXXX	4-tert-butylcyclohexyl acetate Skin Sens. 1B H317	C < 5,5 %
CAS number: 14901-07-6 EC number: 238-969-9 Index number: — Registration number: 01-2119937833-30-XXXX	beta ionone Aquatic Chronic 2 H411	C < 5,5 %



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

CAS number: 104-67-6	undecan-4-olide	
EC number: 203-225-4 Index number: — Registration number: 01-2119959333-34-XXXX	Aquatic Chronic 3 H412	C < 5,5 %
CAS number: 6259-76-3 EC number: 228-408-6 Index number: — Registration number: 01-2119638275-36-XXXX	hexyl salicylate Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C < 4 %
CAS number: 88-41-5 EC number: 201-828-7 Index number: — Registration number: 01-2119970713-33-XXXX	2-tert-butylcyclohexyl acetate Aquatic Chronic 2 H411	C < 4 %
CAS number: — EC number: 405-040-6 Index number: 603-101-00-3 Registration number: 01-0000015458-64-XXXX	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) Eye Irrit. 2 H319	C < 4 %
CAS number: 60-12-8 EC number: 200-456-2 Index number: — Registration number: 01-2119963921-31-XXXX	2-phenylethanol Acute Tox. 4 H302, Eye Irrit. 2 H319	C < 4 %
CAS number: 91-64-5 EC number: 202-086-7 Index number: — Registration number: 01-2119943756-26-XXXX	coumarin Acute Tox. 4 H302, Skin Sens. 1B H317	C < 1,5 %
CAS number: 90-17-5 EC number: 201-972-0 Index number: — Registration number: 01-2119929625-31-XXXX	2,2,2-trichloro-1-phenylethyl acetate Skin Irrit. 2 H315, Aquatic Chronic 3 H412	C < 1,3 %
CAS number: 2182025-97-2 EC number: — Index number: — Registration number: 01-2120228335-61-XXXX	ether cedryl methyl Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C < 1,3 %
CAS number: 106-22-9 EC number: 203-375-0 Index number: — Registration number: —	citronellol Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319	C < 1 %
CAS number: 127-51-5 EC number: 204-846-3 Index number: — Registration number: —	3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2- one Skin Sens. 1B H317, Aquatic Chronic 2 H411	C < 1 %



Date of issue: 23.10.2019 Date of update: 22.12.2022 Version: 3.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

CAS number: 97-53-0 EC number: 202-589-1 Index number: — Registration number: —	eugenol Skin Sens. 1B H317, Eye Irrit. 2 H319	C < 1 %
CAS number: 57378-68-4 EC number: 260-709-8 Index number: — Registration number: 01-2119535122-53-XXXX	1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one Acute Tox. 4 H302, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C < 1 %
CAS number: 4707-47-5 EC number: 225-193-0 Index number: — Registration number: 01-2120762759-36-XXXX	methyl 2,4-dihydroxy-3,6-dimethylbenzoate Skin Sens. 1B H317	C < 1 %
CAS number: 18127-01-0 EC number: 242-016-2 Index number: — Registration number: 01-2119983533-30-XXXX	3-(4-tert-butylphenyl)propionaldehyde Skin Irrit. 2 H315, Skin Sens. 1B H317, Repr. 2 H361, STOT RE 2 H373, Aquatic Chronic 3 H412	C < 0,5 %
CAS number: 33704-61-9 EC number: 251-649-3 Index number: — Registration number: 01-2119977131-40-XXXX	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319, Aquatic Chronic 2 H411	C < 0,3 %
CAS number: 70788-30-6 EC number: 274-892-7 Index number: — Registration number: 01-2120768938-30-XXXX	2,2,6-trimethyl-α-propylcyclohexanepropanol Skin Sens. 1B H317	C < 0,3 %
CAS number: 127-91-3 EC number: 204-872-5 Index number: — Registration number: —	pin-2(10)-ene Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C < 0,3 %
CAS number: 68039-49-6 EC number: 268-264-1 Index number: — Registration number: 01-2119982384-28-XXXX	2,4-dimethylcyclohex-3-ene-1-carbaldehyde Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319, Aquatic Chronic 2 H411	C < 0,3 %
CAS number: 108-05-4 EC number: 203-545-4 Index number: 607-023-00-0 Registration number: 01-2119471301-50-XXXX	vinyl acetate ¹⁾ Flam. Liq. 2 H225, Acute Tox. 4 H332, STOT SE 3 H335, Carc. 2 H351, Aquatic Chronic 3 H412	C < 0,3 %
CAS number: 97-54-1 EC number: 202-590-7 Index number: 604-094-00-X Registration number: —	isoeugenol Acute Tox. 4 H302, Acute Tox. 4 H312, Skin Irrit. 2 H315, Skin Sens. 1A H317, Eye Irrit. 2 H319, Acute Tox. 4 H332, STOT SE 3 H335 Specific concentration limits: Skin Sens. 1A H317: $C \ge 0,01\%$	C < 0,1 %

 $^{1\!\mathrm{j}}$ Substance with occupational exposure limits established on the European Union level.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with skin

Wash the exposed parts of the skin thoroughly with water and soap. Take off contaminated clothing. Consult a doctor if disturbing symptoms appear.

Contact with eyes

Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes thoroughly with water for 10 - 15 minutes. Avoid powerful water stream – risk of cornea damage. Consult a ophthalmologist if disturbing symptoms appear.

Ingestion

Do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a doctor if disturbing symptoms appear.

After inhalation

Remove the victim to fresh air, keep warm and at rest. Consult a doctor if disturbing symptoms appear.

4.2. Most important symptoms and effects, both acute and delayed

Contact with skin

The product may cause redness, burning sensation, irritation, allergic reaction.

Contact with eyes

The product may cause burning sensation.

Ingestion

Exposure by this route does not occur.

After inhalation

Exposure by this route does not cause negative health effects.

Effects of exposure

There are no known significant effects or critical hazards with the correct use of the product.

4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: adapt the extinguishing media to surrounding materials. Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

5.2. Special hazards arising from the substance or mixture

During the fire may produce harmful gases containing e.g. carbon monoxides, other hazardous unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

5.3. Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool down the containers that are endangered by fire with a water spray from a safe distance. Collect used extinguishing media.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Use personal protective equipment.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

6.2. Environmental precautions

Do not allow the product to get into the sewage system, surface waters and soil. In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3. Methods and material for containment and cleaning up

Collect the product mechanically and place it in labelled waste containers and transfer for disposal.

6.4. Reference to other sections

Appropriate conduct with waste product - see section 13. Personal protective equipment - see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Use personal protective equipment. Avoid eyes and skin contamination. Keep the unused containers tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Store in properly labeled, sealed packages in a dry, cool and well-ventilated place. Keep away from incompatible materials (see subsection 10.5). Keep away from, foodstuffs and animal feed .

7.3. Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limit Values

Legal Basis: Commission Directive 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU.

Specification	TWA 8 hour	STEL 15 min	Notation
vinyl acetate	17,6 mg/m³	35,2 mg/m³	—

Legal Basis: EH40/2005 Workplace exposure limits. Fourth Edition 2020.

Recommended control procedures

Procedures for monitoring concentrations of hazardous components in the air and procedures for monitoring air purity in the workplace should be applied - if available and justified at a given position - in accordance with the relevant national or European Standards, taking into account the conditions at the site of exposure and the appropriate measurement methods adapted to the working conditions. The mode, type and frequency of tests and measurements should meet the requirements of the appropriate laws.

DNEL and PNEC

Exposure route Exposure sch	Evenerure schome	DNEL	
	Exposure scheme	worker	consumer
inhalation	long-term systemic	1,37 mg/m³	7,8 mg/m³
skin	long-term systemic	0,79 mg/kg bw/day	2,21 mg/kg bw/day
oral	long-term systemic	—	0,79 mg/kg bw/day
benzyl salicylate [CAS	118-58-1]		
PNEC		Value	
marine water 0 mg/l			



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

PNEC	Value
freshwater	0,001 mg/l
soil	1,41 mg/kg dry weight
freshwater sediment	0,583 mg/kg dry weight
marine water sediment	0,058 mg/kg dry weight
sewage treatment plant	10 mg/l
secondary poisoning	52,7 mg/kg food
freshwater (intermittent release)	0,01 mg/l

8.2. Exposure controls

Industrial hygiene

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Ensure adequate general and/or local ventilation at the workplace.

Individual protection measures

The necessity to use and the selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

Hand protection

In case of a prolonged or repeated contact with the product, use protective gloves (EN 374) if a risk assessment indicates this is necessary. Select the material for the gloves individually at the workplace.

The glove material has to be impermeable and resistant to the product. The choice of material for protective gloves should be made taking into account the breakthrough times, permeation rate and degradation. Moreover, the selection of the appropriate gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer. The exact breakthrough time has to be obtained from the glove manufacturer and it must be observed.

Body protection

Use skin protection measures adequate to the existing thermal, chemical or mechanical hazards.

Eye protection Not required. Respiratory protection Not required with adequate ventilation. <u>Thermal hazards</u> Not applicable. <u>Environmental exposure controls</u> Avoid release to the environment, do not empty into sewers.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid, liquid on the carrier
Colour:	acc. to the assortment
Odour:	characteristic, pleasant
Melting point/freezing point:	not determined



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

Boiling point or initial boiling point and boiling	
range:	not determined
Flammability:	the product is not classified in terms of flammability
Lower and upper explosion limit:	not applicable
Flash point:	not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
pH:	not determined
Kinematic viscosity:	not applicable
Solubility:	not soluble in water
Partition coefficient n-octanol/water (log value):	not applicable
Vapour pressure:	not applicable
Density and/or relative density:	not determined
Relative vapour density:	not applicable
Particle characteristics:	not determined

9.2. Other information

No additional tests.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is not very reactive. See also subsection 10.3-10.5.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

Hazardous reactions are not known.

10.4. Conditions to avoid

Avoid sources of heat and direct sunlight.

10.5. Incompatible materials

Avoid contact with following materials: strong oxidants.

10.6. Hazardous decomposition products

Not known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
galaxolide [CAS 1222-05-5]		
LC₅₀ (inhalation, rat)	> 5,04 mg/l	
LD50 (oral, rat)	> 2000 mg/kg	
LD₅₀ (skin, rat)	> 2000 mg/kg	
benzyl salicylate [CAS 118-58-1]		
LD50 (oral, rat)	2227 mg/kg	
LD₅₀ (skin, rabbit)	14150 mg/kg	



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

linalool [CAS 78-70-6]	
LC50 (inhalation, mouse)	> 20 mg/1h
LD50 (oral, rat)	2790 mg/kg
LD₅₀ (skin, rat)	5610 mg/kg

Mixture

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

<u>Carcinogenicity</u>

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Exposure route: eye exposure, skin exposure. For more information on the impact of each possible route of exposure, see subsection 4.2.

Symptoms related to the physical, chemical and toxicological characteristics See subsection 4.2 of the SDS.

<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> See subsection 4.2 of the SDS.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Other information

No data on other hazards.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 12: Ecological information

12.1. Toxicity

galaxolide [CAS 1222-05-5]		
LC₅o (fish)	0,95 mg/l / 96 h / Oryzias latipes	method: OECD 203
EC₅₀ (invertebrates)	0,194 mg/l / 48 h / Daphnia magna	method: OECD 202
NOEC (invertebrates)	0,111 mg/l / 21 days / Daphnia magna	method: OECD 211
EC₅o (algae)	0,723 mg/l / 72 h / Raphidocelis subcapitata	method: OECD 201
NOEC (fish)	0,068 mg/l / 36 days / Pimephales promelas	method: OECD 210
NOEC (microorganisms)	10 mg/l / 5 days / —	method: —
benzyl salicylate (CAS 118-58-1	.]	
LC₅o (fish)	1,03 mg/l / 96 h / Danio rerio	method: EU C.1
EC₅₀ (invertebrates)	1,16 mg/l / 48 h / Daphnia magna	method: OECD 202
EC₅₀ (algae)	0,691 mg/l / 72 h / Raphidocelis subcapitata	method: OECD 201
linalool [CAS 78-70-6]		
LC₅o (fish)	27,8 mg/l / 96 h / Oncorhynchus mykiss	method: OECD 203
EC₅₀ (invertebrates)	59 mg/l / 48 h / Daphnia magna	method: OECD 202
EC₅₀ (microorganisms)	> 100 mg/l / 3 h / —	method: OECD 209
Mixture		· · ·
Toxic to aquatic life with long last	ing effects.	

12.2. Persistence and degradability

galaxolide CAS 1222-05-5	Hardly biodegradable	1%/28 days	method: OECD 301 B
benzyl salicylate CAS 118-58-1	Easily biodegradable	93%/28 days	method: OECD 301 F
linalool CAS 78-70-6	Easily biodegradable	64,2%/28 days	method: OECD 301 D

12.3. Bioaccumulative potential

galaxolide CAS 1222-05-5	log Po/w = 5,3	method: —
	BCF = 1584	method: OECD 305 E
benzyl salicylate CAS 118-58-1	log Po/w = 4	method: OECD 117 / EU A.8
	BCF = —	method: —
linalool CAS 78-70-6	log Po/w = 2,9	method: —
	BCF =	method: —

12.4. Mobility in soil

The product is not mobile in soil. Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

12.5. Results of PBT and vPvB assessment

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

12.7. Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recommendations for the product

The waste code should be given in the place of its formation. The waste product should be recovered or disposed of in authorized incineration plants or waste disposal / neutralization plants, in accordance with applicable regulations. Do not empty into drains.

Recommendations for used packaging

Reuse / recycle / eliminate empty containers in accordance with the local legislation. Only completely empty containers can be reused.

EU legal acts: directives of the European Parliament and of the Council: 2008/98 / EC as amended and 94/62 / EC as amended.

Recommended waste codes

The waste code should be assigned at the place of its formation.

SECTION 14: Transport information

14.1. UN number or ID number

UN 3077

According to special provision ADR 335, IATA A158 and IMDG 335 sealed packets and articles containing less than 10 ml of an environmentally hazardous liquid, absorbed into a solid material but with no free liquid in the packet or article, or containing less than 10 g of an environmentally hazardous solid, are not subject to the requirements of ADR.

14.2. UN proper shipping name

ADR

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. [1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE, GALAXOLIDE] IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

[1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE, GALAXOLIDE] ICAO/IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

[1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE, GALAXOLIDE]

14.3. Transport hazard class(es)

9

14.4. Packing group

III

14.5. Environmental hazards

yes

ADR



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

IMDG	yes
ICAO/IATA	yes

14.6. Special precautions for user

If any substances have leaked and been spilled in a vehicle or container, it may not be reused until after it has been thoroughly cleaned and, if necessary, disinfected or decontaminated. Any other goods and articles carried in the same vehicle or container shall be examined for possible contamination.

14.7. Maritime transport in bulk according to IMO instruments

limited quantity LQ	5 kg
transport category	3
tunnel restriction code	(-)
limited quantity LQ	5 kg
EmS code	F-A, S-F
packing instruction (LQ)	Y956
limited quantity (LQ)	30 kg G
packing instruction, passenger	956
maximum quantity, passenger	400 kg
packing instruction, cargo	956
maximum quantity, cargo	400 kg
	transport category tunnel restriction code limited quantity LQ EmS code packing instruction (LQ) limited quantity (LQ) packing instruction, passenger maximum quantity, passenger packing instruction, cargo

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ADR Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations

1907/2006/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (as amended).

1272/2008/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (as amended).

2020/878/EU COMMISSION REGULATION of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals..

2000/39/EC COMMISSION DIRECTIVE of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

2006/15/EC COMMISSION DIRECTIVE of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

2009/161/EU COMMISSION DIRECTIVE of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

2017/164/EU COMMISSION DIRof 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

2019/1831/EU COMMISSION DIRECTIVE of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

2008/98/EC DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (as amended).

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended





[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

2016/425/EU REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

The components of the mixture are not included in Annex XVII of the REACH Regulation.

The components of the mixture are not included in Annex XIV of the REACH Regulation.

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

SECTION 16: Other information

Full text of H phra	ases mentioned in section 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Clarification of abl	breviations and acronyms
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road.
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level.
EC50	(median effective concentration) - statistically calculated concentration of a chemical substance in ar environmental medium that can cause specific effects in 50% of the tested organisms of a given population under certain conditions.
EN	European standard
ΙΑΤΑ	The International Air Transport Association.
IMDG	International Maritime Dangerous Goods Code.
LC50	Concentration of a substance that is lethal to 50 percent of the organisms in a toxicity test.
LD50	Dose of a substance that is lethal to 50 percent of the organisms in a toxicity test.
NOEC	The highest concentration that does not cause a statistically significant adverse effect in the exposed population, when compared with its appropriate control.
OECD	Organisation for Economic Cooperation and Development
РВТ	Persistent, bioaccumulative and toxic substance.
PNEC	Predicted no-effect concentration.
RID	The Regulation concerning the International Carriage of Dangerous Goods by Rail.
UFI	Unique Formula Identifier
vPvB	Very persistent and very bioaccumulative substance.
Acute Tox. 4	Acute toxicity - category 4



[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

Aquatic Acute 1	Hazardous to the aquatic environment - Acute - category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic - category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic - category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic - category 3
Asp. Tox. 1	Aspiration hazard - category 1
Carc. 2	Carcinogenicity - category 2
Eye Irrit. 2	Eye irritation - category 2
Flam. Liq. 2	Flammable liquid - category 2
Flam. Liq. 3	Flammable liquid - category 3
Repr. 2	Reproductive toxicity - category 2
STOT RE 2	Specific target organ toxicity — repeated exposure - category 2
STOT SE 3	Specific target organ toxicity — single exposure - category 3
Skin Irrit. 2	Skin irritation - category 2
Skin Sens. 1	Skin sensitization - category 1
Skin Sens. 1A	Skin sensitization - category 1A
Skin Sens. 1B	Skin sensitization - category 1B

<u>Trainings</u>

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training. Personnel related with the transport of hazardous substances in accordance with the ADR agreement should be trained and should obtain proper certification in a range of their obligations (general training, workplace training, safety training).

Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

Procedures used for the mixture classification according with Regulation 1272/2008/EC as amended

Skin Irrit. 2 H315	calculation method
Skin Sens. 1 H317	calculation method
Aquatic Chronic 2 H411	calculation method
Additional information	
Changes:	section: 1-16
SDS issued by:	THETA Consulting Sp. z o.o.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.