

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: FRESH BAG MAGIC PEARLS RAINBOW GARDEN  
UFI: 672F-M0RF-300N-UKJ7

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: air freshener.  
Uses advised against: not determined.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer: Dr. MARCUS International Sp. z o.o.  
Address: Aleja Wojska Polskiego 2C, 62-800 Kalisz, PL  
Telephone/fax: + 48 62 760 07 00 / +48 62 760 07 59

E-mail address for a competent person responsible for SDS: drmarcus@dr-marcus.com

### 1.4. Emergency telephone number

112 (general emergency telephone number)

## SECTION 2: Hazards identification


### 2.1. Classification of the substance or mixture

**Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319, Aquatic Chronic 2 H411**

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

Hazard pictograms and signal words



**Warning**

Hazardous components placed on the label

Contains: 4-tert-butylcyclohexyl acetate; hexyl salicylate; acetyl cedrene; 3,7-dimethyloctan-3-ol; linalyl acetate; d-limonene; 3-p-cumenyl-2-methylpropionaldehyde; 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one; 2,2,6,6,7,8,8-heptamethyl-decahydro-2H-indeno[4,5-b]furan; caryophyllene; 4-hydroxy-2,5-dimethylfuran-2(3H)-one.

Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P273 Avoid release to the environment.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/ attention.  
P501 Dispose of contents/container to properly labelled waste containers according to national law.

## Additional information

None.

### 2.3. Other hazards

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

CAS number: 32210-23-4 EC number: 250-954-9 Index number: — Registration number: 01-2119976286-24-XXXX	<b>4-tert-butylcyclohexyl acetate</b> Skin Sens. 1B H317	C ≤ 20 %
CAS number: 6259-76-3 EC number: 228-408-6 Index number: — Registration number: 01-2119638275-36-XXXX	<b>hexyl salicylate</b> Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C ≤ 10 %
CAS number: 60-12-8 EC number: 200-456-2 Index number: — Registration number: 01-2119963921-31-XXXX	<b>2-phenylethanol</b> Acute Tox. 4 H302, Eye Irrit. 2 H319	C ≤ 10 %
CAS number: 32388-55-9 EC number: 251-020-3 Index number: — Registration number: 01-2119969651-28-XXXX	<b>acetyl cedrene</b> Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C ≤ 10 %
CAS number: 78-69-3 EC number: 201-133-9 Index number: — Registration number: 01-2119454788-21-XXXX	<b>3,7-dimethyloctan-3-ol</b> Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319	C ≤ 10 %
CAS number: 88-41-5 EC number: 201-828-7 Index number: — Registration number: 01-2119970713-33-XXXX	<b>2-tert-butylcyclohexyl acetate</b> Aquatic Chronic 2 H411	C ≤ 5 %
CAS number: 140-11-4 EC number: 205-399-7 Index number: — Registration number: 01-2119638272-42-XXXX	<b>benzyl acetate</b> Aquatic Chronic 3 H412	C ≤ 5 %

CAS number: 115-95-7 EC number: 204-116-4 Index number: — Registration number: —	<b>linalyl acetate</b> Skin Irrit. 2 H315, Skin Sens. 1 H317	C ≤ 5 %
CAS number: 104-67-6 EC number: 203-225-4 Index number: — Registration number: 01-2119959333-34-XXXX	<b>undecan-4-olide</b> Aquatic Chronic 3 H412	C ≤ 5 %
CAS number: 123-11-5 EC number: 204-602-6 Index number: — Registration number: 01-2119977101-43-XXXX	<b>anisaldehyde</b> Aquatic Chronic 3 H412	C ≤ 5 %
CAS number: 28219-61-6 EC number: 248-908-8 Index number: — Registration number: 01-2119529224-45-XXXX	<b>2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol</b> Skin Irrit. 2 H315, Eye Irrit. 2 H319, Aquatic Chronic 2 H411	C ≤ 5 %
CAS number: 246538-78-3 ECHA List number: 920-901-0 Index number: — Registration number: 01-2119456810-40-XXXX	<b>hydrocarbons, C11-C13, isoalkanes, &lt;2% aromatics</b> Asp. Tox. 1 H304 EUH066 <sup>2)</sup>	C ≤ 5 %
CAS number: 55066-48-3 EC number: 259-461-3 Index number: — Registration number: 01-2119969446-23-XXXX	<b>3-methyl-5-phenylpentanol</b> Acute Tox. 4 H302	C ≤ 5 %
CAS number: 5989-27-5 EC number: 227-813-5 Index number: 601-096-00-2 Registration number: —	<b>d-limonene</b> Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 3 H412	C < 2 %
CAS number: 4940-11-8 EC number: 225-582-5 Index number: — Registration number: 01-2120758795-36-XXXX	<b>2-ethyl-3-hydroxy-4-pyrone</b> Acute Tox. 4 H302	C < 2 %
CAS number: 14901-07-6 EC number: 238-969-9 Index number: — Registration number: 01-2119449921-34-XXXX	<b>beta ionone</b> Aquatic Chronic 2 H411	C < 2 %
CAS number: 103-95-7 EC number: 203-161-7 Index number: — Registration number: 01-2119970582-32-XXXX	<b>3-p-cumenyl-2-methylpropionaldehyde</b> Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 3 H412	C ≤ 1 %

CAS number: 469-61-4 EC number: 207-418-4 Index number: — Registration number: —	<b>alpha cedrene</b> Asp. Tox. 1 H304, Skin Irrit. 2 H315, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C ≤ 1 %
CAS number: 57378-68-4 EC number: 260-709-8 Index number: — Registration number: 01-2119535122-53-XXXX	<b>1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one</b> Acute Tox. 4 H302, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	C ≤ 1 %
CAS number: 476332-65-7 EC number: — Index number: — Registration number: 01-0000018977-51-XXXX	<b>2,2,6,6,7,8,8-heptamethyl-decahydro-2H-indeno[4,5-b]furan</b> Skin Sens. 1 H317, Aquatic Chronic 1 H410 (M=1)	C ≤ 1 %
CAS number: 87-44-5 EC number: 201-746-1 Index number: — Registration number: —	<b>caryophyllene</b> Asp. Tox. 1 H304, Skin Sens. 1B H317	C ≤ 1 %
CAS number: 3658-77-3 EC number: 222-908-8 Index number: — Registration number: 01-2120754473-52-XXXX	<b>4-hydroxy-2,5-dimethylfuran-2(3H)-one</b> Acute Tox. 4 H302, Skin Corr. 1B H314, Skin Sens. 1A H317, Eye Dam. 1 H318	C ≤ 1 %
CAS number: 108-05-4 EC number: 203-545-4 Index number: 607-023-00-0 Registration number: 01-2119471301-50-XXXX	<b>vinyl acetate<sup>1)</sup></b> Flam. Liq. 2 H225, Acute Tox. 4 H332, STOT SE 3 H335, Carc. 2 H351, Aquatic Chronic 3 H412	C < 0,3 %

<sup>1)</sup> Substance with occupational exposure limits established on the European Union level.

<sup>2)</sup> Additional hazard statement.

Full text of each H phrase is given in section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Contact with skin

Take off contaminated clothing. Wash the exposed parts of the skin thoroughly with water and soap. Consult a doctor if disturbing symptoms appear.

#### Contact with eyes

Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes thoroughly with water for 10 - 15 minutes. Avoid powerful water stream – risk of cornea damage. Consult a ophthalmologist if disturbing symptoms appear.

#### Ingestion

Do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a doctor if disturbing symptoms appear.

#### After inhalation

Remove the victim to fresh air, keep warm and at rest. Consult a doctor if disturbing symptoms appear.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Contact with skin

The product may cause redness, burning sensation, irritation, allergic reaction.

#### Contact with eyes

The product may cause burning sensation, irritation, tearing.

#### Ingestion

Exposure by this route does not occur.

#### After inhalation

Exposure by this route does not cause negative health effects.

#### Effects of exposure

There are no known significant effects or critical hazards with the correct use of the product.

### 4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: adapt the extinguishing media to surrounding materials.

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

### 5.2. Special hazards arising from the substance or mixture

During the fire may produce harmful gases containing e.g. carbon monoxides, other hazardous unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

### 5.3. Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool down the containers that are endangered by fire with a water spray from a safe distance. Collect used extinguishing media.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Use personal protective equipment.

### 6.2. Environmental precautions

Do not allow the product to get into the sewage system, surface waters and soil. In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

### 6.3. Methods and material for containment and cleaning up

Collect the product mechanically and place it in labelled waste containers and transfer for disposal.

### 6.4. Reference to other sections

Appropriate conduct with waste product – see section 13. Personal protective equipment – see section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Use personal protective equipment. Avoid eyes and skin contamination. Keep the unused containers tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in properly labeled, sealed packages in a dry, cool and well-ventilated place. Keep away from incompatible materials (see subsection 10.5). Keep away from, foodstuffs and animal feed.

### 7.3. Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational Exposure Limit Values

Specification	TWA 8 hour	STEL 15 min	Notation
vinyl acetate	17,6 mg/m <sup>3</sup>	35,2 mg/m <sup>3</sup>	—

Legal Basis: 91/322/EEC as amended, 98/24/EC as amended, 2000/39/EC as amended, 2004/37/EC as amended.

#### Recommended control procedures

Procedures for monitoring concentrations of hazardous components in the air and procedures for monitoring air purity in the workplace should be applied - if available and justified at a given position - in accordance with the relevant national or European Standards, taking into account the conditions at the site of exposure and the appropriate measurement methods adapted to the working conditions. The mode, type and frequency of tests and measurements should meet the requirements of the appropriate laws.

#### DNEL and PNEC

4-tert-butylcyclohexyl acetate [CAS 32210-23-4]	
PNEC	Value
marine water	0,53 µg/l
freshwater	5,3 µg/l
soil	0,42 mg/kg dry weight
freshwater sediment	2,01 mg/kg dry weight
marine water sediment	0,21 mg/kg dry weight
sewage treatment plant	12,2 mg/l
secondary poisoning	66,67 mg/kg food
freshwater (intermittent release)	53 µg/l

hexyl salicylate [CAS 6259-76-3]			
Exposure route	Exposure scheme	DNEL	
		worker	consumer
inhalation	long-term systemic	1,7 mg/m <sup>3</sup>	0,4 mg/m <sup>3</sup>
oral	long-term systemic	—	0,3 mg/kg bw/day
skin	long-term systemic	6,4 mg/kg bw/day	3,2 mg/kg bw/day
skin	long-term local	885 µg/cm <sup>2</sup>	442,5 µg/cm <sup>2</sup>
skin	short-term local	885 µg/cm <sup>2</sup>	442,5 µg/cm <sup>2</sup>

hexyl salicylate [CAS 6259-76-3]	
PNEC	Value
marine water	0 mg/l
freshwater	0 mg/l
soil	0,054 mg/kg dry weight

hexyl salicylate [CAS 6259-76-3]	
PNEC	Value
freshwater sediment	0,272 mg/kg dry weight
marine water sediment	0,027 mg/kg dry weight
sewage treatment plant	10 mg/l
freshwater (intermittent release)	0,004 mg/l

2-phenylethanol [CAS 60-12-8]			
Exposure route	Exposure scheme	DNEL	
		worker	consumer
inhalation	long-term systemic	59,9 mg/m <sup>3</sup>	17,7 mg/m <sup>3</sup>
skin	long-term systemic	21,2 mg/kg bw/day	12,7 mg/kg bw/day
oral	long-term systemic	—	5,1 mg/kg bw/day
oral	short-term systemic	—	5,1 mg/kg bw/day

2-phenylethanol [CAS 60-12-8]	
PNEC	Value
marine water	0,021 mg/l
freshwater	0,215 mg/l
soil	0,164 mg/kg dry weight
freshwater sediment	1,454 mg/kg dry weight
marine water sediment	0,145 mg/kg dry weight
sewage treatment plant	10 mg/l
freshwater (intermittent release)	2,15 mg/l

## 8.2. Exposure controls

### Industrial hygiene

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Ensure adequate general and/or local ventilation at the workplace.

### Individual protection measures

The necessity to use and the selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

### Hand protection

In case of a prolonged or repeated contact with the product, use protective gloves (EN 374) if a risk assessment indicates this is necessary. Select the material for the gloves individually at the workplace.

The glove material has to be impermeable and resistant to the product. The choice of material for protective gloves should be made taking into account the breakthrough times, permeation rate and degradation. Moreover, the selection of the appropriate gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer. The exact breakthrough time has to be obtained from the glove manufacturer and it must be observed.

### Body protection

Use skin protection measures adequate to the existing thermal, chemical or mechanical hazards.

## Eye protection

If there is a risk of eye contamination, use safety glasses in accordance with the EN 166 standard.

## Respiratory protection

Not required with adequate ventilation.

## Thermal hazards

Not applicable.

## Environmental exposure controls

Avoid release to the environment, do not empty into sewers.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	acc. to the assortment
Odour:	characteristic, pleasant
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	the product is not classified in terms of flammability
Lower and upper explosion limit:	not applicable
Flash point:	not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
pH:	not determined
Kinematic viscosity:	not applicable
Solubility:	not soluble in water
Partition coefficient n-octanol/water (log value):	not applicable
Vapour pressure:	not applicable
Density and/or relative density:	not determined
Relative vapour density:	not applicable
Particle characteristics:	not determined

### 9.2. Other information

No additional tests.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is not very reactive. It does not go under hazardous polymerization. See also subsection 10.3-10.5.

### 10.2. Chemical stability

The product is stable under normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

Hazardous reactions are not known.

### 10.4. Conditions to avoid

Avoid sources of heat and direct sunlight.

### 10.5. Incompatible materials

Not known.



## 10.6. Hazardous decomposition products

Not known.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

<b>2-phenylethanol [CAS 60-12-8]</b>	
LC <sub>50</sub> (inhalation, rat)	> 4,63 mg/l/4h
LD <sub>50</sub> (oral, rat)	1603,3 mg/kg
LD <sub>50</sub> (skin, rabbit)	2535 mg/kg
<b>acetyl cedrene [CAS 32388-55-9]</b>	
LD <sub>50</sub> (oral, rat)	4500 mg/kg
LD <sub>50</sub> (skin, rabbit)	> 5000 mg/kg
<b>3,7-dimethyloctan-3-ol [CAS 78-69-3]</b>	
LD <sub>50</sub> (oral, rat)	8270 mg/kg
LD <sub>50</sub> (skin, rabbit)	> 5000 mg/kg
<b>2-tert-butylcyclohexyl acetate [CAS 88-41-5]</b>	
LD <sub>50</sub> (oral, rat)	4600 mg/kg
LD <sub>50</sub> (skin, rabbit)	> 5000mg/kg
<b>3-methyl-5-phenylpentanol [CAS 55066-48-3]</b>	
LD <sub>50</sub> (oral, rat)	1850 mg/kg
LD <sub>50</sub> (skin, rat)	3100 mg/kg
<b>2-ethyl-3-hydroxy-4-pyrone [CAS 4940-11-8]</b>	
LD <sub>50</sub> (oral, rat)	1220 mg/kg
LD <sub>50</sub> (skin, rabbit)	> 5000 mg/kg
<b>Mixture</b>	
ATE <sub>mix</sub> (ingestion)	> 2000 mg/kg
ATE <sub>mix</sub> (inhalation, vapours)	> 2000 mg/l
Based on available data, the classification criteria are not met.	

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

Exposure route: skin exposure, inhalation. For more information on the impact of each possible route of exposure, see subsection 4.2.

## Symptoms related to the physical, chemical and toxicological characteristics

See subsection 4.2 of the SDS.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

See subsection 4.2 of the SDS.

## 11.2. Information on other hazards

### Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

### Other information

No data on other hazards.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>hexyl salicylate [CAS 6259-76-3]</b>		
EC <sub>50</sub> (invertebrates)	0,357 mg/l / 48 h / <i>Daphnia magna</i>	method: OECD 202 / EU C.2
<b>2-phenylethanol [CAS 60-12-8]</b>		
LC <sub>50</sub> (fish)	215 - 464 mg/l / 96 h / <i>Leuciscus idus</i>	method: DIN 38412
EC <sub>50</sub> (invertebrates)	287,17 mg/l / 48 h / <i>Daphnia magna</i>	method: EU C.2
EC <sub>50</sub> (algae)	0,49 g/l / 72 h / <i>Desmodesmus subspicatus</i>	method: DIN 38412
EC <sub>50</sub> (microorganisms)	> 100 mg/l / 3 h / —	method: OECD 209
<b>acetyl cedrene [CAS 32388-55-9]</b>		
LC <sub>50</sub> (fish)	2,3 mg/l / 96 h / <i>Pimephales promelas</i>	method: EPA OPPTS 850.1075 / EU C.1 / OECD 203
EC <sub>50</sub> (invertebrates)	0,86 mg/l / 48 h / <i>Daphnia magna</i>	method: ISO 6341 / EPA OPPTS 850.1010 / EU C.2 / OECD 202
NOEC (invertebrates)	0,087 mg/l / 21 days / <i>Daphnia magna</i>	method: EPA OPPTS 850.1300 / OECD 211

<b>3,7-dimethyloctan-3-ol [CAS 78-69-3]</b>		
LC <sub>50</sub> (fish)	8,9 mg/l / 96 h / <i>Danio rerio</i>	method: OECD 203
EC <sub>50</sub> (invertebrates)	14,2 mg/l / 48 h / <i>Daphnia magna</i>	method: OECD 202
EC <sub>50</sub> (algae)	21,6 mg/l / 72 h / <i>Desmodesmus subspicatus</i>	method: DIN 38412
EC <sub>50</sub> (microorganisms)	1000 mg/l / 30 min / <i>Pseudomonas putida</i>	method: DIN 38412
<b>d-limonene [CAS 5989-27-5]</b>		
LC <sub>50</sub> (fish)	0,72 mg/l / 96 h / <i>Pimephales promelas</i>	method: OECD 203
NOEC (fish)	0,059 mg/l / 8 days / <i>Pimephales promelas</i>	method: OECD 212
EC <sub>50</sub> (invertebrates)	0,307 mg/l / 48 h / <i>Daphnia magna</i>	method: OECD 202 / EU C.2
NOEC (invertebrates)	0,08 mg/l / 21 days / <i>Daphnia magna</i>	method: OECD 211
EC <sub>50</sub> (algae)	0,214 mg/l / 72 h / <i>Raphidocelis subcapitata</i>	method: OECD 201 / EU C.3
EC <sub>50</sub> (microorganisms)	209 mg/l / 3 h / —	method: OECD 209
<b>Mixture</b>		
Toxic to aquatic life with long lasting effects.		

## 12.2. Persistence and degradability

hexyl salicylate CAS 6259-76-3	Easily biodegradable	91%/28 days	method: OECD 301 F
acetyl cedrene CAS 32388-55-9	Biodegradable	36%/28 days	method: OECD 301 F
3,7-dimethyloctan-3-ol CAS 78-69-3	Easily biodegradable	60-70%/28 days	method: OECD 301 F
d-limonene CAS 5989-27-5	Easily biodegradable	71,4%/28 days	method: OECD 301 B

## 12.3. Bioaccumulative potential

hexyl salicylate CAS 6259-76-3	log Po/w = 5,5	method: OECD 117
	BCF = 8913	method: —
2-phenylethanol CAS 60-12-8	log Po/w = 1,3	method: OECD 117
	BCF = —	method: —
acetyl cedrene CAS 32388-55-9	log Po/w ≤ 5,6 - 5,9	method: OECD 117
	BCF = 867	method: OECD 305
3,7-dimethyloctan-3-ol CAS 78-69-3	log Po/w = 3,3	method: OECD 107
	BCF = —	method: —
d-limonene CAS 5989-27-5	log Po/w = 4,38	method: OECD 117
	BCF = —	method: —

## 12.4. Mobility in soil

The product is not mobile in soil. Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.



# Safety Data Sheet

Date of issue: 23.10.2019  
Date of update: 27.02.2024  
Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

## 12.5. Results of PBT and vPvB assessment

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

## 12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

## 12.7. Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Recommendations for the product

The waste product should be recovered or disposed of in authorized incineration plants or waste disposal / neutralization plants, in accordance with applicable regulations. Do not empty into drains.

#### Recommendations for used packaging

Reuse / recycle / eliminate empty containers in accordance with the local legislation. Only completely empty containers can be reused.

EU legal acts: directives of the European Parliament and of the Council: 2008/98 / EC as amended and 94/62 / EC as amended.

#### Recommended waste codes

The waste code should be assigned at the place of its formation.

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 3077

According to special provision ADR 335, IATA A158 and IMDG 335 sealed packets and articles containing less than 10 ml of an environmentally hazardous liquid, absorbed into a solid material but with no free liquid in the packet or article, or containing less than 10 g of an environmentally hazardous solid, are not subject to the requirements of ADR.

### 14.2. UN proper shipping name

#### **ADR**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
[ACETYL CEDRENE, HEXYL SALICYLATE]

#### **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
[ACETYL CEDRENE, HEXYL SALICYLATE]

#### **ICAO/IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
[ACETYL CEDRENE, HEXYL SALICYLATE]

### 14.3. Transport hazard class(es)

9

### 14.4. Packing group

III

### 14.5. Environmental hazards

ADR                    yes

IMDG                  yes

ICAO/IATA      yes

#### 14.6. Special precautions for user

If any substances have leaked and been spilled in a vehicle or container, it may not be reused until after it has been thoroughly cleaned and, if necessary, disinfected or decontaminated. Any other goods and articles carried in the same vehicle or container shall be examined for possible contamination.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

##### Additional data

ADR	limited quantity LQ	5 kg
	transport category	3
	tunnel restriction code	(-)
IMDG	limited quantity LQ	5 kg
	EmS code	F-A, S-F
ICAO/IATA	packing instruction (LQ)	Y956
	limited quantity (LQ)	30 kg G
	packing instruction, passenger	956
	maximum quantity, passenger	400 kg
	packing instruction, cargo	956
	maximum quantity, cargo	400 kg

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

91/322/ECC Commission Directive of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work as amended. Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) as amended. 2000/39/EC COMMISSION DIRECTIVE of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work as amended. Directive 2004/37/EC Of The European Parliament and Of The Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work (Sixth individual Directive within the meaning of Article 16(1) of Council Directive 89/391/EEC) as amended.

ADR Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations

1907/2006/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (as amended).

1272/2008/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (as amended).

2020/878/EU COMMISSION REGULATION of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.. 2008/98/EC DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (as amended).

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended

2016/425/EU REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

The components of the mixture are not included in Annex XVII of the REACH Regulation.

The components of the mixture are not included in Annex XIV of the REACH Regulation.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

## SECTION 16: Other information

### Full text of H phrases mentioned in section 3

EUH066	Repeated exposure may cause skin dryness or cracking.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Clarification of abbreviations and acronyms

ADR	Agreement concerning the International Carriage of Dangerous Goods by Road.
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level.
EC <sub>50</sub>	(median effective concentration) - statistically calculated concentration of a chemical substance in an environmental medium that can cause specific effects in 50% of the tested organisms of a given population under certain conditions.
EN	European standard
IATA	The International Air Transport Association.
IMDG	International Maritime Dangerous Goods Code.
ISO	International Organization for Standardization
LC <sub>50</sub>	Concentration of a substance that is lethal to 50 percent of the organisms in a toxicity test.
LD <sub>50</sub>	Dose of a substance that is lethal to 50 percent of the organisms in a toxicity test.
NOEC	The highest concentration that does not cause a statistically significant adverse effect in the exposed population, when compared with its appropriate control.
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, bioaccumulative and toxic substance.
PNEC	Predicted no-effect concentration.
RID	The Regulation concerning the International Carriage of Dangerous Goods by Rail.
UFI	Unique Formula Identifier
vPvB	Very persistent and very bioaccumulative substance.
Acute Tox. 4	Acute toxicity - category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute - category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic - category 1



# Safety Data Sheet

Date of issue: 23.10.2019  
Date of update: 27.02.2024  
Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

---

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic - category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic - category 3
Asp. Tox. 1	Aspiration hazard - category 1
Carc. 2	Carcinogenicity - category 2
Eye Dam. 1	Serious eye damage - category 1
Eye Irrit. 2	Eye irritation - category 2
Flam. Liq. 2	Flammable liquid - category 2
Flam. Liq. 3	Flammable liquid - category 3
STOT SE 3	Specific target organ toxicity — single exposure - category 3
Skin Corr. 1B	Skin corrosion - category 1B
Skin Irrit. 2	Skin irritation - category 2
Skin Sens. 1	Skin sensitization - category 1
Skin Sens. 1A	Skin sensitization - category 1A
Skin Sens. 1B	Skin sensitization - category 1B

## Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training. Personnel related with the transport of hazardous substances in accordance with the ADR agreement should be trained and should obtain proper certification in a range of their obligations (general training, workplace training, safety training).

## Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

## Procedures used for the mixture classification according with Regulation 1272/2008/EC as amended

Skin Irrit. 2 H315	calculation method
Skin Sens. 1 H317	calculation method
Eye Irrit. 2 H319	calculation method
Aquatic Chronic 2 H411	calculation method

## Additional information

Changes:	1-16
SDS issued by:	THETA Consulting Sp. z o.o.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.